

Gulf and Caribbean Research

Volume 2 | Issue 2

January 1966

A Bibliography of Anomalies of Fishes, Supplement 1

C.E. Dawson

Follow this and additional works at: <https://aquila.usm.edu/gcr>



Part of the Marine Biology Commons

Recommended Citation

Dawson, C. 1966. A Bibliography of Anomalies of Fishes, Supplement 1. Gulf Research Reports 2 (2): 169-176.
Retrieved from <https://aquila.usm.edu/gcr/vol2/iss2/3>
DOI: <https://doi.org/10.18785/grr.0202.03>

This Article is brought to you for free and open access by The Aquila Digital Community. It has been accepted for inclusion in Gulf and Caribbean Research by an authorized editor of The Aquila Digital Community. For more information, please contact Joshua.Cromwell@usm.edu.

A Bibliography Of Anomalies Of Fishes

Supplement 1

C. E. DAWSON

The original bibliography (Gulf Res. Repts. 1(6), 1964) has, reportedly, been of considerable value to workers interested in the teratology of fishes and other vertebrates. The present supplement is the first of a proposed series which will attempt to include all new and pertinent publications as well as those which have previously been overlooked. The overall usefulness of the bibliography should be enhanced by its maintenance on a relatively current basis. Supplements will be issued irregularly and will normally include 75 to 100 new citations.

In the interest of continuity, the original format and subject index headings have been retained. Supplemental citations will be serially numbered and prefixed by the letter "S".

Acknowledgement is made to colleagues who have provided reprints of their publications and to those who have called my attention to omissions in the original bibliography.

BIBLIOGRAPHY

- S-1 Alperin, I. M. 1965. Recent records of pugheaded striped bass from New York. N. Y. Fish Game J. 12(1):114-115, 3 figs.
- S-2 Amaoka, K. 1964. First record of sinistrality in *Poecilopsetta plintbus* (Jordan and Starks) a pleuronectid fish of Japan. Bull. Misaki Mar. biol. Inst., Kyoto Univ. 7:9-17, 3 figs.
- S-3 Andreu, B. 1955. Un nuevo caso de hermafroditismo en *Sardina pilchardus* Walb. de la ria Vigo. Invest. pesq. 2:3-7.
- S-4 Anon. 1953. Passage of fish over Bonneville Dam, Columbia River, Oregon and Washington, 1952. Ann. Rept. U. S. Army Eng., Portland, Oregon.
- S-5 Anwand, K. 1961. Ein weiterer Fund eines Heringszwitters (*Clupea harengus* L.). [A further discovery of a herring hermaphrodite]. Z. Fisch. 10(4/5):383-386.
- S-6 Barcellos, B. N. 1962. Anomalias do esqueleto da corvina. Cienc. e Cult. 14(2):111-113, 2 figs.
- S-7 Barlow, G. W. 1963. Species structure of the gobiid fish *Gillichthys mirabilis* from coastal sloughs of the eastern Pacific. Pacif. Sci. 17(1):47-72, 13 figs.
- S-8 Beardsley, A. J. and Horton, H. F. 1965. An ambicolored starry flounder from Yaquina Bay, Oregon. Calif. Fish Game 51(2): 126-128, fig.
- S-9 Bell, G. R. 1961. Penetration of spines from a marine diatom into the gill tissue of lingcod (*Ophiodon elongatus*). Nature, Lond. 192(4799):279-280, 4 figs.
- S-10 Berinkey, L. 1959. A *Lucioperca volgensis* with a deformed head from the River Danube. Opusc. zool. Inst. zoosyst. Univ. budapest 31:23-27, 2 figs.
- S-11 Blackett, R. F. and Armstrong, R. H. 1965. Collection of two abnormal Dolly Varden: one with two dorsal fins, the other with incomplete pigmentation. Trans. Amer. Fish. Soc. 94(4): 408-409, fig.
- S-12 Cadenat, J. 1960. Notes d'Ichtyologie ouest-africaine 32. - Sur un cas d'intersexualité chez un Requin de l'espèce *Centrophorus lusitanicus* Bocage et Capelle 1864. Bull. Inst. franc. Afr. noire (A) 22(4):1428-1430, 3 figs.
- S-13 1962. Notes d'Ichtyologie ouest-africaine 38. - Documents pour servir à la recherche des mécanismes de déplacement et de remplacement des dents chez les Requins. Bull. Inst. franc. Afr. noire(A) 24(2):551-579, 62 figs.
- S-14 Cheek, R. P. 1965. Pugheadedness in an American shad. Trans. Amer. Fish. Soc. 94(1):97-98, fig.
- S-15 Chhapgar, B. F. 1964. A monster of the spotted duck-billed ray, *Aetobatus narinari*. Copeia 1964(3):587-588, 2 figs.
- S-16 Clark, E. 1964. Spinal deformity noted in a bull shark. Underw. Nat. 2(3):25-28.
- S-17 Datta Gupta, A. K. and Tilak, R. 1962. A note on the deformity of *Heteropneustes fossilis* Bloch (Heteropneustidae: Siluroidea). Zool. Polon. 12(3):305-398, 2 figs.

- S-18 Davidson, F. A. 1934. The homing instinct and age at maturity of pink salmon (*Oncorhynchus gorbuscha*). Bull. U. S. Bur. Fish. 48(15):27-39.
- S-19 DeLacy, A. C. and Batts, B. S. 1963. A search for racial characteristics in the Columbia River smelt. Contr. Sch. Fish. Univ. Wash. 147:30-32.
- S-20 _____ and Dryfoos, R. L. 1965. The longfin smelt in Lake Washington. Contr. Sch. Fish. Univ. Wash. 184:37.
- S-21 Desbrosses, P. 1931. Poissons de Chalut. Traumatismes de la bouche chez la dorade commune. Les problemes qu'ils posent, concernant la biologie de cette espece. Rev. Trav. Off. Pech. marit. 4(1):183-196.
- S-22 Du Buit, M. H. 1964. Une raie anormale trouvée a Concarneau. Bull. Mus. Hist. nat., Paris 36(2):180-184, 3 figs.
- S-23 Dutt, S. 1959. Biometric studies on *Sardinella* spp. off Waltair Coast. Proc. 1st All-India Congr. Zool. 1959(2):286-298, fig.
- S-24 _____ 1961. Biometric studies on *Sardinella* spp. off Waltair Coast. 2. *Sardinella gibbosa* Blkr. J. zool. Soc. India 13(1):78-89.
- S-25 Eigenmann, C. H. 1894. On the viviparous fishes of the Pacific coast of North America. Bull. U. S. Fish. Comm. 12:371-478.
- S-26 Feider, Z., et al. 1959. Une rare anomalie de la branchie chez le saurel de la Mer Noire (*Trachurus trachurus mediterraneus*). Lucrar. Stat. zool. mar. Agigeo (Vol. festiv) 1959:147-149, 2 pls.
- S-27 Fitch, J. E. 1963. A review of the fishes of the genus *Pleuronichthys*. Contr. Sci. Los Angeles Cty. Mus. 76:1-33.
- S-28 Follett, W. I., McCormick, R. B., and Best, E. A. 1960. First records of sinistrality in *Microstomus pacificus* (Lockington) and *Glyptocephalus zachirus* Lockington, pleuronectid fishes of western North America, with meristic data. Copeia 1960(2): 112-119, 2 figs.
- S-29 Fry, D. H., Jr. 1961. Some problems in the marking of salmonids. Bull. Pacif. Mar. Fish. Comm. 5:78-83.
- S-30 Fuller, A. S. 1961. An intra-pericardial hepatic intrusion in the common dogfish. Nature, Lond. 192(4799):280, fig.
- S-31 Gabriel, M. L. 1944. Factors affecting the number and form of vertebrae in *Fundulus heteroclitus*. J. exp. Zool. 95(1):105-147.
- S-32 Geus, A. 1961. Über eine siamesische Zwillingsbildung bei einem Männchen *Lebistes reticulatus* Peters. Aquar.-u. Terra. Z. 14: 217-219, 5 figs.
- S-33 Godet, R. 1961. Un cas d'hermaphrodisme chez le Protoptère (Poisson Dipneuste). Ann. Fac. Sci. Univ. Dakar 6:145-149, 2 pls., fig.
- S-34 Goriunova, A. I. 1961. Deformatiia chesun u serebrianogo karasia. (The deformation of scales in silver crucian). Vop. Ikhtiol. 1(18):52-58.
- S-35 Honma, Y. 1964. Notes on the specimens of halfbeaks, *Hemirhamphus sajori* (T. & S.), bound their heads or trunks with rubber bands. Collect. & Breed. 26(2):1-3, fig.

- S-36 ----- 1964. Notes on the encephalocele (hernia cerebri) found in a young salmonid fish, the koayu, *Plecoglossus altivelis* Temminck et Schlegel. Bull. Jap. Soc. sci. Fish. 30(11):912-917, pl., fig.
- S-37 ----- and Duyvené de Wit, J. J. 1961. Teratologic observations in rhodine species and hybrids (Cyprinidae). 1. Three specimens with abnormal heads. Annot. zool. jap. 34: 153-158.
- S-38 ----- and Tamura, E. 1964. Notes on the deformity of dorsal fin in a specimen of Japanese char, the Nikko-iwana, *Salvelinus leucomaenoides pluvius*. Collect. & Breed. 26(12):368-369, 2 figs.
- S-39 Ingalls, T. H. and Murakami, U. 1962. Cyclopia, ectromelia, and other monstrosities in zebra fish. Arch. Environ. Health 5: 114-121.
- S-40 Isaacson, P. A. 1965. Pugheadedness in the black perch, *Embiotoca jacksoni*. Trans. Amer. Fish. Soc. 94(1):98.
- S-41 Kändler, R. 1932. Unsicherheiten beim Bestimmung der Wirbelzahl infolge Verwachsungserscheinungen. J. Cons. 7(3):373-385, 7 figs.
- S-42 Klausewitz, W. 1961. Ein bemerkenswerter Fall von Albinismus bei *Acanthoptthalmus semicinctus*. Aquar.-u. Terrar. Z. 14: 9-10, fig.
- S-43 Kozikowska, Z. 1961. Interesting deviations from usual form in the lateral line of the carp (*Cyprinus carpio* L.) from the breeding ponds near Radziadz in Silesia. Zool. Polon. 10(4): 333-336, illus.
- S-44 Krupauer, V. 1961. Take u kapra se muzeme setkat s hermafroditismem. (We also find hermaphroditism in carp). Csl. Rybarst. 9:134-135.
- S-45 Lamont, J. M. 1961. Fish with rubber bands. Scot. Fish. Bull. 15:17-18.
- S-46 Lawler, G. H. 1960. A mutant pike, *Esox lucius*. J. Fish. Res. Bd. Can. 17(5):647-654.
- S-47 ----- 1964. A northern pike, *Esox lucius*, with an accessory fin. J. Fish. Res. Bd. Can. 21(6):1547, fig.
- S-48 ----- 1965. Fin anomalies in the white sucker, *Catostomus commersoni*, population in Heming Lake, Manitoba. J. Fish. Res. Bd. Can. 22(1):219-220, fig.
- S-49 Lea, R. N. 1965. A lahontan redside, *Richardsonius egregius* (Girard), lacking pelvic fins. Calif. Fish Game 51(4):300.
- S-50 Leonards, L. 1963. Possible albino adult chinook salmon observed. Res. Briefs Ore. Fish Comm. 9(1):67.
- S-51 Lewis, D. E. 1961. Sockeye salmon, *Oncorhynchus nerka*, without a dorsal fin. Copeia 1961(1):116-117, 2 figs.
- S-52 McCrimmon, H. R. and Bidgood, B. 1965. Abnormal vertebrae in the rainbow trout with particular reference to electrofishing. Trans. Amer. Fish. Soc. 94(1):84-88, 3 figs.

- S-53 Meinken, H. 1961. Nochmals "Ein albinotischen *Clarias*". Aquar.-u. Terrar. Z. 14:329-330, fig.
- S-54 Miller, G. C. 1964. An aberrant green sturgeon from the lower Columbia River. Res. Briefs Ore. Fish Comm. 10(1):70-72, 2 figs.
- S-55 Morgan, A. R. and Gerlach, A. R. 1950. Striped bass studies on Coos Bay in 1949 and 1950. Contr. Fish Comm. Ore. 14:1-31.
- S-56 Neill, W. T. 1950. A channel catfish with a forked barbel. Copeia 1950(4):317.
- S-57 Ochiai, A. 1964. An aberrant frogfish from Japan. Bull. Misaki Mar. biol. Inst. Kyoto Univ. 5:39-41, fig.
- S-58 Olshanskaya, O. L. 1960. Urodstva u eniseiskoi sterliadi. (Abnormalities in Yenisey sterlet). Vop. Ikhtiol. 16:191-195, 2 figs.
- S-59 O'Riordan, C. E. 1961. A variation of the flounder *Platichthys flesus* (L.) from Co. Wexford. Irish Nat. J. 13(9):213-214.
- S-60 Orska, J. 1962. Anomalies in the vertebral columns of the pike (*Esox lucius* L.). Acta biol. cracov. Zool. 5(2):327-345, illus.
- S-61 Paiva, M. P. 1961. Um caso de ausencia da nadadeira adiposa em *Pygocentrus nattereri* Kner, 1860. Bol. Soc. Cear. Agron. 2:45-46, fig.
- S-62 1965. On a pelvicless specimen of *Pygocentrus piraya* (Cuvier, 1820) from Jaguaribe River basin, Brazil. Copeia 1965(1):110.
- S-63 Raja, B. T. A. 1963. An instance of hermaphroditism in the Indian oil sardine, *Sardinella longiceps* (Cuv. & Val.). J. Mar. biol. Ass. India 5(1):148-150, fig.
- S-64 Raju, G. 1960. A case of hermaphroditism and some other gonadal abnormalities in the skipjack *Katsuwonus pelamis* (Linnaeus). J. Mar. biol. Ass. India 2(1):95-102, 5 figs.
- S-65 Reed, R. J. 1954. Hermaphroditism in the rosyface shiner, *Notropis rubellus*. Copeia 1954(4):293-294.
- S-66 Regan, J. D. 1961. Melanism in the poeciliid fish, *Gambusia affinis* (Baird and Girard). Amer. Midl. Nat. 65(1):139-143, 2 figs.
- S-67 Reichenback - Klinke, H. H. 1961. Ein Nase-Nerfling-Bastard [*Chondrostoma nasus* (L.) x *Idus idus* (L.)] mit abnorm verlangerten Flossen. Allg. FischZtg. 86(5):151-152.
- S-68 Rich, W. H. and Holmes, H. B. 1929. Experiments in marking young chinook salmon in the Columbia River, 1916 to 1927. Bull. U. S. Bur. Fish. 44:215-264.
- S-69 Rietze, H. L. 1954. Naturally missing fins from chum salmon. Res. Briefs Ore. Fish Comm. 5(1):26.
- S-70 Sachs, W. B. 1961. Ein albinotischer *Clarias*. Aquar.-u. Terrar. Z. 14:268-269, fig.
- S-71 Saemundsson, B. 1909. Oversigt over Islands fiske. Skr. Komm. Havunders 5:1-140.
- S-72 Salekhova, L. P. 1961. Hermaphroditism of *Diplodus annularis* (L.). (in Russian). Trav. Sebast. biol. Sta. 14:257-268, 10 figs.
- S-73 Sathyanesan, A. G. 1962. On the abnormal dorsal fin of the teleost *Labeo calbasu* (Ham.). Sci. & Cult. 28(12):588-589, illus.

- S-74 Schwartz, F. J. 1965. A pugheaded menhaden from Chesapeake Bay. Underw. Nat. 3(1):22-44, 3 figs.
- S-75 Shchupakov, L. G. and Kharchenko, L. N. 1960. Anomalies among interspecific hybrids of whitefishes produced in Ural commercial fish farms. (in Russian). in Distant Hybridization of Plants and Animals, pp. 520-531.
- S-76 Shulyak, G. S. 1961. Cases of atypical structure of the intestine in carp. (Russian with English summary). Dopov. Akad. Nauk. Ukr. RSR 3:384-386, 3 figs.
- S-77 Singh, T. P. and Sathyanesan, A. G. 1961. An instance of hermaphroditism in the catfish *Mystus vittatus* (Bloch). Curr. Sci. 30:302-303, 2 figs.
- S-78 Sommani, E. 1962. Interessante caso di mostruosita in esemplare di tinca (*Tinca tinca* L.). Boll. Pesca Piscic. Idrobiol. 15(2): 109-193.
- S-79 Steffens, W. 1961. Flossenschadungen beim Hecht (*Esox lucius*). Biol. Zbl. 80(1):79-84.
- S-80 Templeman, W. 1965. Some abnormalities in skates (*Raja*) of the Newfoundland area. J. Fish. Res. Bd. Can. 22(1):237-238, 4 figs.
- S-81 Tester, A. L. 1949. Populations of herring along the west coast of Vancouver Island on the basis of mean vertebral number, with a critique of the method. J. Fish. Res. Bd. Can. 7(7): 403-420.
- S-82 Tschvertner, U. 1956. Untersuchungen ueber den einfluss einiger Milienfaktoren auf die Entwicklung des Hechtes (*Esox lucius* L.). Arch. Hydrobiol. 24(3):123-152.
- S-83 Uchida, R. N. 1961. Hermaphrodite skipjack. Pacif. Sci. 15:294-296, 3 figs.
- S-84 Vastesaeger, M., et al. 1961. L'atherosclerose spontanée du thon rouge (*Thynnus thynnus* L.). Bull. Cent. Etud. Rech. sci., Biarritz 3:449-455, 4 figs.
- S-85 Walker, J. M. and Taylor, H. L. 1965. A brook trout with no anal fin. Progr. Fish Cult. 27(4):233, fig.
- S-86 Ward, J. W. and Dodds, R. P., Jr. 1965. Observations upon a natural population of normal, hemicaudate, and decaudate goldfish, *Carassius auratus*. J. Miss. Acad. Sci. 11:191-195, fig.
- S-87 White, J. C., Jr. and Hoss, D. E. 1964. Another record of incomplete ambicoloration in the summer flounder, *Paralichthys dentatus*. Chesapeake Sci. 5(3):151-152, fig.
- S-88 Williamson, H. C. 1909. Abnormal skate (*Raja circularis* and *Raja clavata*). Rep. Fish. Bd. Scot. 28(3):64, 3 figs.
- S-89 Wunder, W. 1956. Leistungs prüfungsversuche beim Karpfen 1955. Ergebnisse aus bayerischen Teichwirtschaften. Arch. FischWiss. 7(1):17-30.
- S-90 _____ 1960. Erbliche Flossenfelder beim Karpfen und ihr Einfluss auf die Wachstumsleistung. Arch. FischWiss. 11: 106-119, 14 figs.
- S-91 _____ 1961. Formveränderung der Schwimmblase des Karpfens bei Wirbelsaulenverkrummung. Allg. FischZgt. 86(8): 236-238.

TAXONOMIC INDEX

- Acanthophtalmus semicinctus* — S42.
Aetobatus narinari — S15.
Acipenser — S58.
 medirostris — S54.
Alosa sapidissima — S4, S14.
Brevoortia tyrannus — S74.
Carassius auratus — S86.
Carcharhinus leucas — S16.
Carp — S34, S44, S76, S90, S91.
Catostomus commersoni — S48.
Centrophorus lusitanicus — S12.
Chondrostoma nasus — S67.
Clarias — S53, S70.
Clupea — S41.
 barengus — S5.
Coregonus albula ladogensis — S75.
 lavartaeus — S75.
Cymatogaster aggregata — S25.
Cyprinus carpio — S43, S89.
Diplodus annularis — S72.
Embiotoca jacksoni — S40.
Esox lucius — S46, S47, S60, S79, S82.
Fundulus heteroclitus — S31.
Gambusia affinis — S66.
Gillichthys mirabilis — S7.
Glyptocephalus zachirus — S28.
Hemiramphus sajori — S35.
Heteropneustes fossilis — S17.
Ictalurus lacustris punctatus — S56.
Idus idus — S67.
Katsuwonus pelamis — S64.
Labeo calbasu — S73.
Lebistes reticulatus — S32.
Lucioperca volvensis — S10.
Micropogon furnieri — S6.
Microstomus pacificus — S28.
Mystus vittatus — S77.
Notropis rubellus — S65.
Oncorhynchus gorbuscha — S18.
 keta — S69.
 nerka — S51.
 tshawytscha — S50, S68.
Ophiodon elongatus — S9.
Pagellus — S21.
Paralichthys dentatus — S87.
Platichthys flessus — S59.
 stellatus — S8.
Plecoglossus altivelis — S36.
Pleuronectes — S41.
Pleuronichthys — S27.
Poecilopsetta plinthus — S2.
Pygocentrus nattereri — S61.
 piraya — S62.
Raia circularis — S88.
 clavata — S88.
Raja clavata — S22.
 jensenii — S80.
 laevis — S80.
 radiata — S71, S80.
Rhombus — S41.
Richardsonius egregius — S49.
Roccus saxatilis — S1, S74.
Salmo gairdneri — S52.
Salvelinus fontinalis — S85.
 leucomaenoides pluvius — S38.
 malma — S11.
Sardina pilchardus — S3.
Sardinella fimbriata — S23.
 gibbosa — S24.
 longiceps — S63.
Scyliorhinus canicula — S30.
Thynnus thynnus — S84.
Tinca tinca — S78.
Trachurus trachurus
 mediterraneus — S26.

SUBJECT INDEX

- Abnormal coloration — S46.
Albinism — S11, S42, S50, S53, S70.
Ambicoloration — S8, S27, S59, S87.
Anal fin, etc. — S85.
Barbels — S56.
Body (misc.) — S6, S46.
Caudal fin, etc. — S54, S86.
Cyclopia — S39.
Dorsal fin, etc. — S7, S11, S38, S48, S51, S73.
Fins (misc.) — S7, S18, S19, S20, S22, S29, S48, S54, S57, S61, S67, S68, S69, S90.
Gills, etc. — S26.
Head (misc.) — S10, S36, S37, S39.
Internal organs, fasciae, etc. — S30, S76, S91.
Lateral line, etc. — S43.
Melanism — S66.
Mouth, jaws, etc. — S7, S21.
Pectoral fin, etc. — S15, S22, S48, S71, S80.
Pelvic fin, etc. — S47, S48, S49, S54, S62.
Pug-head, etc. — S1, S14, S25, S40, S74, S80.
Reversal — S2, S28.
Scales, etc. — S34, S54.
Sex organs, hermaphroditism, etc. — S3, S4, S5, S12, S33, S44, S55, S63, S64, S65, S72, S75, S77, S83.
Teeth, etc. — S13.
Twins, double monsters, etc. — S32.
Vertebral — S7, S16, S23, S24, S31, S41, S52, S60, S80, S81, S84, S86, S91.
Wounds — S9, S33, S35, S79.